Table 1: Delete EDOS Release A RBR Requirements

RBR_id	segment	req_type	s_verif_method	s_verif_stat	a_verif_method	a_verif_stat	text	interpretation text
EDOS-4.2.2-#A	SDPS	interface	TBD	un-verified			The DPF shall interface with the LaRC DAAC to transfer PDSs, QDSs, Archived Data Sets (ADSs), and Mission Test Data Sets.	
EDOS-4.2.3-#A	SDPS	interface	TBD	un-verified			The DPF shall interface with the GSFC DAAC to transfer PDSs, QDSs, ADSs, and Mission Test Data Sets.	
EDOS-A.1.1#A	FOS	interface	TBD	un-verified			The DIF shall provide the capability to transfer return link real-time Path Service EDOS Data Units (EDUs) to the EOC. [EDOS generates EDUs by concatenating an EDOS service header (ESH) with each applicable return link path service data unit (SDU)].	
EDOS-A.1.3#A	FOS	interface	TBD	un-verified			The DIF shall provide the capability to receive forward link real-time CLTUs from the EOC.	
EDOS-B.1.1#A	SDPS	interface	TBD	un-verified			The DIF shall provide the capability to transfer PDS Delivery Records as specified in Applicable Document 1 to the LaRC DAAC following the delivery of each PDS.	
EDOS-B.2.1#A	SDPS + CSMS	interface	TBD	un-verified			The DIF-LaRC DAAC interface shall provide the capability to support the transfer of Operations Management data to the LaRC DAAC at a rate of up to 50 Kbps.	

EDOS-B.2.2#A	SDPS	interface	TBD	un-verified			The DIF shall provide the capability to initiate transfer of a PDS Delivery Record to the LaRC DAAC within 120 seconds of delivery of the PDS.	
EDOS-B.4.2#A	SDPS	interface	TBD	un-verified			The DPF shall provide the capability to transfer any PDS to the LaRC DAAC.	
EDOS-B.5.2#A	SDPS	interface		un-verified		un-verified	The DPF-LaRC DAAC interface shall provide the capability to support the transfer of PDSs to the LaRC DAAC at a rate of up to 22 Mbps.	
EDOS-C.1.1#A	SDPS	interface	TBD	un-verified			The DIF shall provide the capability to transfer PDS Delivery Records as specified in Applicable Document 1 to the GSFC DAAC following the delivery of each PDS.	
EDOS-C.2.1#A	SDPS + CSMS	interface	TBD	un-verified			The DIF-GSFC DAAC interface shall provide the capability to support the transfer of Operations Management data to the GSFC DAAC at a rate of up to 50 Kbps.	
EDOS-C.2.2#A	SDPS	interface	TBD	un-verified			The DIF shall provide the capability to initiate transfer of a PDS Delivery Record to the GSFC DAAC within 120 seconds of delivery of the PDS.	
EDOS-C.4.2#A	SDPS	interface	TBD	un-verified			The DPF shall provide the capability to transfer PDS to the GSFC DAAC.	
EDOS-C.5.2#A	SDPS + CSMS	interface	TBD	un-verified			The DPF-GSFC DAAC interface shall provide the capability to support the transfer of PDSs to the GSFC DAAC at a rate of up to 22 Mbps.	

Table 2: Delete EDOS Release B RBR Requirements

RBR_id	req_key	req_catego ry	segment	req_type	s_verif_m ethod	s_verif_st at	a_verif_m ethod	a_verif_st at	CCR	text	interpret ation text	clarificatio n
EDOS-4.1.15-#B	5782	TBD	CSMS	interface	TBD	un-verified				The DIF shall interface with the SMC to transfer Operations Management Data, and Operations Management Test Data Sets.		
EDOS-4.2.2-#B	6373	mission essential	SDPS	interface	test	un-verified	test	un-verified		The DPF shall interface with the LaRC DAAC to transfer PDSs, QDSs, Archive Data Sets (ADSs), and Mission Test Data Sets.		
EDOS-4.2.3-#B	6378	mission essential	SDPS	interface	test	un-verified	test	un-verified		The DPF shall interface with the GSFC DAAC to transfer PDSs, QDSs, ADSs, and Mission Test Data Sets.		
EDOS-4.2.7#B	5815	TBD	SDPS	interface	TBD	un-verified				The DPF shall interface with the LaRC DAAC to receive DEDSs on removable physical media.		
EDOS-4.2.8#B	5830	TBD	SDPS	interface	TBD	un-verified				The DPF shall interface with the GSFC DAAC to receive DEDSs on removable physical media.		
EDOS-A.1.1#B	6369	mission critical	FOS	interface	test	un-verified	test	un-verified		The DIF shall provide		

RBR_id	req_key	req_catego ry	segment	req_type	s_verif_m ethod	s_verif_st at	a_verif_m ethod	a_verif_st at	CCR	text	interpret ation text	clarificatio n
										the capability to transfer return link real-time Path Service EDOS Data Units (EDUs) to the EOC. [EDOS generates EDUs by concatenating an EDOS service header (ESH) with each applicable return link path service data unit (SDU)].		
EDOS-A.1.13#B	5755	TBD	FOS	interface	TBD	un-verified				The DIF shall provide the capability to transfer return link rate buffered Path Service EDUs to the EOC.		
EDOS-A.1.2#B	6370	mission critical	FOS	interface	test	un-verified	test	un-verified		The DIF shall provide the capability to transfer Command Link Control Word EDUs to the EOC.		
EDOS-A.1.3#B	6372	mission critical	FOS	interface	test	un-verified	test	un-verified		The DIF shall provide the capability to receive forward link real-time CLTUs from the EOC.		
EDOS-A.1.4#B	5766	TBD	FOS	interface	TBD	un-verified				The DIF shall provide the capability to transfer Customer Operations Data Accounting (CODA) reports as specified in Applicable		

RBR_id	req_key	req_category	segment	req_type	s_verif_method	s_verif_stat	a_verif_method	a_verif_stat	CCR	text	interpretation text	clarification
										~~Document 1.~~		
~~EDOS-A.1.5#B~~	~~5767~~	~~TBD~~	~~FOS~~	~~interface~~	~~TBD~~	~~un-verified~~				~~The DIF shall provide the capability to transfer TDRSS Service Session (TSS) Summary Reports as specified in Applicable Document 1 to the EOC following the completion of each TSS.~~		
~~EDOS-A.2.1#B~~	~~5787~~	~~TBD~~	~~FOS + CSMS~~	~~interface~~	~~TBD~~	~~un-verified~~				~~The DIF-EOC interface shall provide the capability to support the transfer of real-time return link EDUs to the EOC at a rate of up to 1.1 Mbps.~~		
~~EDOS-A.2.2#B~~	~~6093~~	~~TBD~~	~~FOS~~	~~interface~~	~~TBD~~	~~un-verified~~				~~The DIF-EOC interface shall provide the capability to support the transfer of Operations Management data to the EOC at a rate of up to 50 kbps.~~		
~~EDOS-A.2.3#B~~	~~5790~~	~~TBD~~	~~FOS~~	~~interface~~	~~TBD~~	~~un-verified~~				~~The DIF-EOC interface shall provide the capability to support the receipt of forward link real-time CLTUs from the EOC at a rate of 35 kbps for a single channel.~~		

RBR_id	req_key	req_catego ry	segment	req_type	s_verif_m ethod	s_verif_st at	a_verif_m ethod	a_verif_st at	CCR	text	interpret ation text	clarificatio n
~~EDOS-A.2.4#B~~	~~5791~~	~~TBD~~	~~FOS~~	~~interface~~	~~TBD~~	~~un-verified~~				~~The DIF shall provide the capability to initiate the transfer of a TSS Summary Report to the EOC within 90 seconds of completion of the TSS.~~		
~~EDOS-B.1.1#B~~	~~5769~~	~~TBD~~	~~SDPS~~	~~interface~~	~~TBD~~	~~un-verified~~				~~The DIF shall provide the capability to transfer PDS Delivery Records as specified in Applicable Document 1 to the LaRC DAAC following the delivery of each PDS.~~		
~~EDOS-B.1.2#B~~	~~6094~~	~~TBD~~	~~SDPS~~	~~interface~~	~~TBD~~	~~un-verified~~				~~The DIF shall provide the capability to transfer QDS Delivery Records as specified in Applicable Document 1 to the LaRC DAAC following the delivery of each QDS.~~		
~~EDOS-B.1.3#B~~	~~5770~~	~~TBD~~	~~SDPS~~	~~interface~~	~~TBD~~	~~un-verified~~				~~The DIF shall provide the capability to transfer ADS Delivery Records as specified in Applicable Document 1 to the LaRC DAAC following the delivery of each ADS.~~		
~~EDOS-~~	~~5772~~	~~TBD~~	~~SDPS~~	~~interface~~	~~TBD~~	~~un-verified~~						

RBR_id	req_key	req_catego ry	segment	req_type	s_verif_m ethod	s_verif_st at	a_verif_m ethod	a_verif_st at	CCR	text	interpret ation text	clarificatio n
B.1.6#B										The DIF shall provide the capability to receive status data from the LaRC DAAC as specified in Applicable Document 1, including but not limited to the following: b. Verification of PDSs delivered c. Verification of ADSs delivered		
EDOS-B.2.1#B	5793	TBD	SDPS | CSMS	interface	TBD	un-verified				The DIF-LaRC DAAC interface shall provide the capability to support the transfer of Operations Management data to the LaRC DAAC at a rate of up to 50 Kbps.		
EDOS-B.2.2#B	5795	TBD	SDPS	interface	TBD	un-verified				The DIF shall provide the capability to initiate transfer of a PDS Delivery Record to the LaRC DAAC within 120 seconds of delivery of the PDS.		
EDOS-B.2.3#B	6095	TBD	SDPS	interface	TBD	un-verified				The DIF shall provide the capability to initiate transfer of a QDS Delivery Record to the LaRC DAAC within 120 seconds of delivery of the QDS.		

RBR_id	req_key	req_category	segment	req_type	s_verif_method	s_verif_stat	a_verif_method	a_verif_stat	CCR	text	interpretation text	clarification
EDOS-B.2.4#B	5797	TBD	SDPS	interface	TBD	un-verified				The DIF shall provide the capability to initiate transfer of an ADS Delivery Record to the LaRC DAAC within 120 seconds of delivery of the ADS.		
EDOS-B.3.3#B	5808	TBD	SDPS	interface	TBD	un-verified				The LaRC DAAC shall provide the capability to initiate transfer of the Verification of ADSs delivered status message to the DIF within 8 hours following the delivery of all ADSs for a 24 hour period.		
EDOS-B.4.1#B	6096	TBD	SDPS	interface	TBD	un-verified				The DPF shall provide the capability to transfer QDSs to the LaRC DAAC.		
EDOS-B.4.2#B	6375	mission essential	SDPS	interface	test	un-verified	test	un-verified		The DPF shall provide the capability to transfer any PDS to the LaRC DAAC.		
EDOS-B.4.3#B	6377	mission essential	SDPS	interface	test	un-verified	test	un-verified		The DPF shall provide the capability to copy PDSs to removable physical media for backup to electronic delivery.		
EDOS-	5824	TBD	SDPS	interface	TBD	un-verified						

RBR_id	req_key	req_catego ry	segment	req_type	s_verif_m ethod	s_verif_st at	a_verif_m ethod	a_verif_st at	CCR	text	interpret ation text	clarificatio n
B.4.4#B										~~The DPF shall provide the capability to transfer ADSs to the LaRC DAAC.~~		
~~EDOS-B.4.5#B~~	~~5825~~	~~TBD~~	~~SDPS~~	~~interface~~	~~TBD~~	~~un-verified~~				~~The DPF shall provide the capability to copy ADSs to removable physical media for backup to electronic delivery.~~		
~~EDOS-B.4.6#B~~	~~5826~~	~~TBD~~	~~SDPS~~	~~interface~~	~~TBD~~	~~un-verified~~				~~The DPF shall provide the capability to receive DEDs from the LaRC DAAC on removable physical media.~~		
~~EDOS-B.5.1#B~~	~~6097~~	~~TBD~~	~~FOS~~	~~interface~~	~~TBD~~	~~un-verified~~				~~The DPF-LaRC DAAC interface shall provide the capability to support the transfer of QDSs to the LaRC DAAC at a rate of up to 22 Mbps.~~		
~~EDOS-B.5.2#B~~	~~5821~~	~~TBD~~	~~FOS~~	~~interface~~	~~TBD~~	~~un-verified~~				~~The DPF-LaRC DAAC interface shall provide the capability to support the transfer of PDSs to the LaRC DAAC at a rate of up to 22 Mbps.~~		
~~EDOS-C.1.1#B~~	~~5775~~	~~TBD~~	~~SDPS~~	~~interface~~	~~TBD~~	~~un-verified~~				~~The DIF shall provide the capability to transfer PDS Delivery Records as specified in~~		

RBR_id	req_key	req_catego ry	segment	req_type	s_verif_m ethod	s_verif_st at	a_verif_m ethod	a_verif_st at	CCR	text	interpret ation text	clarificatio n
										~~Applicable Document 1 to the GSFC DAAC following the delivery of each PDS.~~		
~~EDOS-C.1.2#B~~	~~6098~~	~~TBD~~	~~SDPS~~	~~interface~~	~~TBD~~	~~un-verified~~				~~The DIF shall provide the capability to transfer QDS Delivery Records as specified in Applicable Document 1 to the GSFC DAAC following the delivery of each QDS.~~		
~~EDOS-C.1.3#B~~	~~5778~~	~~TBD~~	~~SDPS~~	~~interface~~	~~TBD~~	~~un-verified~~				~~The DIF shall provide the capability to transfer ADS Delivery Records to the GSFC DAAC as specified in Applicable Document 1 following the delivery of each ADS.~~		
~~EDOS-C.1.6#B~~	~~5781~~	~~TBD~~	~~SDPS~~	~~interface~~	~~TBD~~	~~un-verified~~				~~The DIF shall provide the capability to receive status data from the GSFC DAAC including but not limited to the following:~~ ~~a. Verification of ODSs delivered~~ ~~b. Verification of PDSs delivered~~ ~~c. Verification of ADSs delivered~~		

RBR_id	req_key	req_catego ry	segment	req_type	s_verif_m ethod	s_verif_st at	a_verif_m ethod	a_verif_st at	CCR	text	interpret ation text	clarificatio n
EDOS-C.2.1#B	5799	TBD	SDPS | CSMS	interface	TBD	un-verified				The DIF-GSFC DAAC interface shall provide the capability to support the transfer of Operations Management data to the GSFC DAAC at a rate of up to 50 Kbps.		
EDOS-C.2.2#B	5801	TBD	SDPS	interface	TBD	un-verified				The DIF shall provide the capability to initiate transfer of a PDS Delivery Record to the GSFC DAAC within 120 seconds of delivery of the PDS.		
EDOS-C.2.3#B	5803	TBD	SDPS	interface	TBD	un-verified				The DIF shall provide the capability to initiate transfer of a QDS Delivery Record to the GSFC DAAC within 120 seconds of delivery of the QDS.		
EDOS-C.2.4#B	5802	TBD	SDPS	interface	TBD	un-verified				The DIF shall provide the capability to initiate transfer of an ADS Delivery Record to the GSFC DAAC within 120 seconds of delivery of the ADS.		
EDOS-C.3.1#B	5810	TBD	SDPS	interface	TBD	un-verified				The GSFC DAAC shall provide the capability to		

RBR_id	req_key	req_catego ry	segment	req_type	s_verif_m ethod	s_verif_st at	a_verif_m ethod	a_verif_st at	CCR	text	interpret ation text	clarificatio n
										~~initiate transfer of the Verification of QDSs delivered status message to the DIF within 60 minutes following the delivery of all QDSs for each TSS.~~		
~~EDOS- C.3.2#B~~	~~5809~~	~~TBD~~	~~SDPS~~	~~interface~~	~~TBD~~	~~un-verified~~				~~The GSFC DAAC shall provide the capability to initiate transfer of the Verification of PDSs delivered status message to the DIF within 8 hours following the delivery of all PDSs for a 24 hour period.~~		
~~EDOS- C.3.3#B~~	~~5811~~	~~TBD~~	~~SDPS~~	~~interface~~	~~TBD~~	~~un-verified~~				~~The GSFC DAAC shall provide the capability to initiate transfer of the Verification of ADSs delivered status message to the DIF within 8 hours following the delivery of all ADSs for a 24 hour period.~~		
~~EDOS- C.4.1#B~~	~~6099~~	~~TBD~~	~~SDPS~~	~~interface~~	~~TBD~~	~~un-verified~~				~~The DPF shall provide the capability to transfer QDSs to the GSFC DAAC.~~		
~~EDOS- C.4.2#B~~	~~6381~~	~~mission essential~~	~~SDPS~~	~~interface~~	~~test~~	~~un-verified~~	~~test~~	~~un-verified~~		~~The DPF shall provide the capability to transfer PDS to the GSFC~~		

RBR_id	req_key	req_catego ry	segment	req_type	s_verif_m ethod	s_verif_st at	a_verif_m ethod	a_verif_st at	CCR	text	interpret ation text	clarificatio n
										DAAC.		
EDOS-C.4.3#B	6382	mission fulfillmen t	SDPS	interface	test	un-verified	test	un-verified		The DPF shall provide the capability to copy PDSs to removable physical media for backup to electronic delivery.		
EDOS-C.4.4#B	5835	TBD	SDPS	interface	TBD	un-verified				The DPF shall provide the capability to transfer ADSs to the GSFC DAAC.		
EDOS-C.4.5#B	5836	TBD	SDPS	interface	TBD	un-verified				The DPF shall provide the capability to copy ADSs to removable physical media for backup to electronic delivery.		
EDOS-C.4.6#B	5837	TBD	SDPS	interface	TBD	un-verified				The DPF shall provide the capability to receive DEDs from the GSFC DAAC on removable physical media.		
EDOS-C.5.1#B	5838	TBD	SDPS + CSMS	interface	TBD	un-verified				The DPF-GSFC DAAC interface shall provide the capability to support the transfer of QDSs to the GSFC DAAC at a rate of up to 22 Mbps.		
EDOS-C.5.2#B	5840	TBD	SDPS + CSMS	interface	TBD	un-verified				The DPF-GSFC DAAC interface shall provide		

RBR_id	req_key	req_catego ry	segment	req_type	s_verif_m ethod	s_verif_st at	a_verif_m ethod	a_verif_st at	CCR	text	interpret ation text	clarificatio n
										the capability to support the transfer of PDSs to the GSFC DAAC at a rate of up to 22 Mbps.		
EDOS-H.1.1#B	5783	TBD	CSMS	interface	TBD	un-verified				The DIF shall provide the capability to transfer PDS Delivery Records as specified in Applicable Document 1 to the SMC following the delivery of a PDS to any EGS element.		
EDOS-H.1.2#B	5784	TBD	CSMS	interface	TBD	un-verified				The DIF shall provide the capability to transfer QDS Delivery Records as specified in Applicable Document 1 to the SMC following the delivery of a QDS to any EGS element.		
EDOS-H.1.3#B	5785	TBD	CSMS	interface	TBD	un-verified				The DIF shall provide the capability to transfer ADS Delivery Records as specified in Applicable Document 1 to the SMC following the delivery of an ADS to any EGS element.		
EDOS-H.2.1#B	5804	TBD	CSMS	interface	TBD	un-verified				The DIF-SMC interface shall provide the capability to support the transfer of Operations		

RBR_id	req_key	req_category	segment	req_type	s_verif_method	s_verif_stat	a_verif_method	a_verif_stat	CCR	text	interpretation text	clarification
										Management data to the SMC at a rate of up to 50 kbps.		
EDOS-H.2.2#B	5805	TBD	CSMS	procedural	TBD	un-verified				The DIF shall provide the capability to initiate transfer of a PDS Delivery Record to the SMC within 120 seconds of delivery of the PDS.		
EDOS-H.2.3#B	5806	TBD	CSMS	procedural	TBD	un-verified				The DIF shall provide the capability to initiate transfer of a QDS Delivery Record to the SMC within 120 seconds of delivery of the QDS.		
EDOS-H.2.4#B	5807	TBD	CSMS	interface	TBD	un-verified				The DIF shall provide the capability to initiate transfer of an ADS Delivery Record to the SMC within 120 seconds of delivery of the ADS.		

Table 3: Add Release A RBR Requirements

RBR_id	req_type	segment	req_category	s_verif_method	s_verif_stat	a_verif_method	a_verif_stat	CCR	text	interpretation text	clarification
EDOS-4.1.1.2#A	interface	FOS	mission critical	demo	un-verified	demo	un-verified		EDOS shall interface with the EOC to receive Command Data Blocks (CDBs), Command Test Blocks, and Operations Management Data.	A: Command Data Blocks only	
EDOS-4.1.1.3#A	interface	FOS	mission critical	demo	un-verified	demo	un-verified		EDOS shall provide the capability to transfer return link real-time Path Service EDOS Data Units (EDUs) to the EOC.	EDOS generates EDUs by concatenating an EDOS service header (ESH) with each applicable return link path service data unit (SDU)]	
EDOS-4.1.2.1#A	interface	SDPS	mission critical	demo	un-verified	demo	un-verified		EDOS shall interface with the Langley Research Center (LaRC) DAAC to transfer Operations Management Data, PDSs, EDSs, Mission Test Data, and Operations Management Test Data.		
EDOS-4.1.2.3#A	interface	SDPS	mission critical	demo	un-verified	demo	un-verified		EDOS shall provide the capability to transfer PDS Delivery Records as specified in Applicable Document 1 to the LaRC DAAC following the delivery of each PDS.	Applicable document referenced is identified in section 2.0 of EDOS IRD, 560-EDOS-0211.0001	

EDOS-4.1.2.7#A	interface	SDPS	mission essential	demo	un-verified	demo	un-verified		EDOS shall conform to Internet protocol standards as specified in Applicable Documents 2,3,4, and 5 for communications services to provide guaranteed data delivery for the following data types:
									  a. PDS Delivery Records
									  b. Reserved
									  c. Reserved
									  d. Service Request Dispositions
									  e. PDSs
									  f. EDSs
									  g. EDS Delivery Records
										Item d is applicable with EDOS SU#1 which is not supported in release A.	

EDOS-4.1.3.1#A	interface	SDPS	mission critical	demo	un-verified	demo	un-verified		EDOS shall interface with the GSFC DAAC to transfer Mission Data, Operations Management Data, Mission Test Data, and Operations Management Test Data.		
EDOS-4.1.3.3#A	interface	SDPS	mission critical	demo	un-verified	demo	un-verified		EDOS shall provide the capability to transfer PDS Delivery Records as specified in Applicable Document 1 to the GSFC DAAC following the delivery of each PDS.	Applicable document referenced is identified in section 2.0 of EDOS IRD, 560-EDOS-0211.0001	

EDOS-4.1.3.7#A	interface	SDPS	mission essential	demo	un-verified	demo	un-verified		EDOS shall conform to Internet protocol standards as specified in Applicable Documents 2, 3, 4, and 5 for communications services to provide guaranteed data delivery for the following data types:
									  a. PDS Delivery Records
									  b. Reserved
									  c. Reserved
									  d. Service Request Dispositions
									  e. PDSs
									  f. Reserved
									  g. EDSs
									  h. EDS Delivery Records
										Applicable document referenced is identified in section 2.0 of EDOS IRD, 560-EDOS-0211.0001
										
										Item d is applicable with EDOS SU#1 which is not supported in release A.	

EDOS-4.2.1.5#A	performance	FOS	mission critical	demo	un-verified	demo	un-verified		The EDOS-EOC interface shall provide the capability to support the transfer of real-time forward link data at a rate of up to 10 kbps.		
EDOS-4.6.1.1#A	interface	FOS | CSMS | SDPS	mission essential	demo	un-verified	demo	un-verified		EDOS shall conform to Internet protocol standards for communications services as specified in Applicable Documents 2, 3, 4, and 5.	Applicable documents referenced are identified in section 2.0 of EDOS IRD, 560-EDOS-0211.0001	
EDOS-4.6.1.2#A	interface	FOS	mission critical	demo	un-verified	demo	un-verified		EDOS shall transfer real-time return link data using UDP/IP.		
EDOS-4.6.1.3#A	interface	FOS	mission critical	demo	un-verified	demo	un-verified		EDOS shall receive real-time forward link data using UDP/IP.		

Table 4: Add Release B RBR Requirements

RBR_id	req_category	segment	req_type	s_verif_method	s_verif_stat	a_verif_method	a_verif_stat	CCR	text	interpretation text	clarification
EDOS-4.1.1.1#B	interface	FOS	mission critical	demo	un-verified	demo	un-verified		EDOS shall interface with the EOC to transfer Operations Management Data, and Operations Management Test Data.		
EDOS-4.1.1.2#B	interface	FOS	mission critical	demo	un-verified	demo	un-verified		EDOS shall interface with the EOC to receive Command Data Blocks (CDBs), Command Test Blocks, and Operations Management Data.		
EDOS-4.1.1.3#B	interface	FOS	mission critical	demo	un-verified	demo	un-verified		EDOS shall provide the capability to transfer return link real-time Path Service EDOS Data Units (EDUs) to the EOC.	EDOS generates EDUs by concatenating an EDOS service header (ESH) with each applicable return link path service data unit (SDU).	
EDOS-4.1.1.4#B	interface	FOS	mission critical	demo	un-verified	demo	un-verified		EDOS shall provide the capability to transfer Command Link Control Word (CLCW) EDUs to the EOC.		
EDOS-4.1.1.6#B	interface	FOS	mission critical	demo	un-verified	demo	un-verified		EDOS shall provide the capability to transfer Customer Operations Data Accounting (CODA) reports as specified in Applicable Document 1 to the EOC.	Applicable document referenced is identified in section 2.0 of EDOS IRD, 560-EDOS-0211.0001	

EDOS-4.1.1.7#B	interface	FOS	mission essential	demo	un-verified	demo	un-verified		EDOS shall provide the capability to transfer Spacecraft Contact Session (SCS) Summary Reports as specified in Applicable Document 1 to the EOC following the completion of each SCS.		
EDOS-4.1.1.8#B	interface	FOS	mission critical	demo	un-verified	demo	un-verified		EDOS shall provide the capability to transfer Rate Buffered Data to the EOC, as specified in Applicable Document 1.	Applicable document referenced is identified in section 2.0 of EDOS IRD, 560-EDOS-0211.0001	
EDOS-4.1.1.15#B	interface	FOS	mission essential	demo	un-verified	demo	un-verified		EDOS shall provide the capability to receive SN Schedules from the EOC.		
EDOS-4.1.1.16#B	interface	FOS	mission essential	demo	un-verified	demo	un-verified		EDOS shall provide the capability to receive EOSDIS Ground Station scheduling data from the EOC.		
EDOS-4.1.1.17#B	interface	FOS	mission essential	demo	un-verified	demo	un-verified		EDOS shall provide the capability to transfer command echo blocks to the EOC.		
EDOS-4.1.1.18#B	interface	FOS	mission essential	demo	un-verified	demo	un-verified		EDOS shall provide the capability to transfer all VCDUs with invalid VCDU-IDs received during an SCS to the EOC as a rate buffered data service.		
EDOS-4.1.2.1#B	interface	SDPS	mission critical	demo	un-verified	demo	un-verified		EDOS shall interface with the Langley Research Center (LaRC) DAAC to transfer Operations Management Data, PDSs, EDSs, Mission Test		

									Data, and Operations Management Test Data.		
EDOS-4.1.2.2#B	interface	SDPS	mission critical	demo	un-verified	demo	un-verified		EDOS shall interface with the LaRC DAAC to receive Operations Management Data, and Operations Management Test Data.		
EDOS-4.1.2.3#B	procedural	SDPS	mission critical	demo	un-verified	demo	un-verified		EDOS shall provide the capability to transfer PDS Delivery Records as specified in Applicable Document 1 to the LaRC DAAC following the delivery of each PDS.	Applicable document referenced is identified in section 2.0 of EDOS IRD, 560-EDOS-0211.0001	

EDOS-4.1.2.7#B	interface	SDPS	mission essential	demo	un-verified	demo	un-verified		EDOS shall conform to Internet protocol standards as specified in Applicable Documents 2,3,4, and 5 for communications services to provide guaranteed data delivery for the following data types:
									  a. PDS Delivery Records
									  b. Reserved
									  c. Reserved
									  d. Service Request Dispositions
									  e. PDSs
									  f. EDSs
									  g. EDS Delivery Records
										Applicable documents referenced are identified in section 2.0 of EDOS IRD, 560-EDOS-0211.0001
										
										Item d is applicable with EDOS SU#1 which is not supported in release B.	

EDOS-4.1.2.8#B	procedural	SDPS	mission critical	demo	un-verified	demo	un-verified		EDOS shall provide the capability to receive Operations Management data from the LaRC DAAC as specified in Applicable Document 1, including: a. PDS/EDS Acceptance Notifications b. Reserved c. Reserved d. Service Requests	Applicable document referenced is identified in section 2.0 of EDOS IRD, 560-EDOS-0211.0001 Item d is applicable with EDOS SU#1 which is not supported in release B.	
EDOS-4.1.2.10##B	interface	SDPS	mission critical	demo	un-verified	demo	un-verified		EDOS shall conform to Internet protocol standards as specified in Applicable Documents 2,3,4, and 5 for communications service to provide receipt for the following: a. Reserved b. PDS/EDS Acceptance Notifications c. Reserved d. Service Requests	Applicable documents referenced are identified in section 2.0 of EDOS IRD, 560-EDOS-0211.0001 Item d is applicable with EDOS SU#1 which is not supported in release B.	
EDOS-4.1.2.11##B	procedural	SDPS	mission critical	demo	un-verified	demo	un-verified		EDOS shall provide the capability to ship archived PDSs on removable physical media to the LaRC DAAC upon request.		

EDOS-4.1.2.12#B	interface	SDPS	mission critical	demo	un-verified	demo	un-verified		EDOS shall provide the capability to accept DEDS on removable physical media from the LaRC DAAC.		
EDOS-4.1.2.13#B	interface	SDPS	mission critical	demo	un-verified	demo	un-verified		EDOS shall provide the capability to store DEDS received from the LaRC DAAC.		
EDOS-4.1.2.14#B	procedural	SDPS	mission critical	demo	un-verified	demo	un-verified		EDOS shall provide the capability to transfer EDS Delivery Records as specified in Applicable Document 1 to the LaRC DAAC following the delivery of each EDS.	Applicable document referenced is identified in section 2.0 of EDOS IRD, 560-EDOS-0211.0001	
EDOS-4.1.3.1#B	interface	SDPS	mission critical	demo	un-verified	demo	un-verified		EDOS shall interface with the GSFC DAAC to transfer Mission Data, Operations Management Data, Mission Test Data, and Operations Management Test Data.		
EDOS-4.1.3.2#B	interface	SDPS	mission critical	demo	un-verified	demo	un-verified		EDOS shall interface with the GSFC DAAC to receive Operations Management Data, and Operations Management Test Data.		
EDOS-4.1.3.3#B	procedural	SDPS	mission critical	demo	un-verified	demo	un-verified		EDOS shall provide the capability to transfer PDS Delivery Records as specified in Applicable Document 1 to the GSFC DAAC folowing the delivery of each PDS.	Applicable document referenced is identified in section 2.0 of EDOS IRD, 560-EDOS-0211.0001	

| EDOS-4.1.3.7#B | interface | SDPS | mission critical | demo | un-verified | demo | un-verified | | EDOS shall conform to Internet protocol standards as specified in Applicable Documents 2, 3, 4, and 5 for communications services to provide guaranteed data delivery for the following data types:
  a. PDS Delivery Records
  b. Reserved
  c. Reserved
  d. Service Request Dispositions
  e. PDSs
  f. Reserved
  g. EDSs
  h. EDS Delivery Records | Applicable documents referenced are identified in section 2.0 of EDOS IRD, 560-EDOS-0211.0001

Item d is applicable with EDOS SU#1 which is not supported in release B. | |
| EDOS-4.1.3.8#B | interface | SDPS | mission critical | demo | un-verified | demo | un-verified | | EDOS shall provide the capability to receive Operations Management data as specified in Applicable Document 1 from the GSFC DAAC including:
  a. Reserved
  b. PDS/EDS Acceptance Notifications
  c. Reserved
  d. Service Requests | Applicable document referenced is identified in section 2.0 of EDOS IRD, 560-EDOS-0211.0001

Item d is applicable with EDOS SU#1 which is not supported in release B. | |

EDOS-4.1.3.10#B	interface	SDPS	mission critical	demo	un-verified	demo	un-verified		EDOS shall conform to Internet protocol standards as specified in Applicable Documents 2,3,4, and 5 for communications services to provide receipt for the following: a. Reserved b. PDS/EDS Acceptance Notifications c. Reserved d. Service Requests	Applicable documents referenced are identified in section 2.0 of EDOS IRD, 560-EDOS-0211.0001 Item d is applicable with EDOS SU#1 which is not supported in release B.	
EDOS-4.1.3.11#B	interface	SDPS	mission critical	demo	un-verified	demo	un-verified		EDOS shall provide the capability to ship archived PDSs on removable physical media to the GSFC DAAC upon request.		
EDOS-4.1.3.12#B	interface	SDPS	mission critical	demo	un-verified	demo	un-verified		EDOS shall provide the capability to accept DEDS on removable physical media from the GSFC DAAC.		
EDOS-4.1.3.13#B	procedural	SDPS	mission critical	demo	un-verified	demo	un-verified		EDOS shall provide the capability to store DEDS received from the GSFC DAAC.		
EDOS-4.1.3.14#B	procedural	SDPS	mission critical	demo	un-verified	demo	un-verified		EDOS shall provide the capability to transfer EDS Delivery Records as specified in Applicable Document 1 to the GSFC DAAC following the delivery of each EDS.	Applicable document referenced is identified in section 2.0 of EDOS IRD, 560-EDOS-0211.0001	

EDOS-4.1.7.11#B	interface	SDPS	mission critical	demo	un-verified	demo	un-verified		EDOS shall provide the capability to accept DEDS on removable physical media from the EDC DAAC.		
EDOS-4.1.7.12#B	procedural	SDPS	mission critical	demo	un-verified	demo	un-verified		EDOS shall provide the capability to store DEDS received from the EDC DAAC.		
EDOS-4.1.7.13#B	interface	SDPS	mission critical	demo	un-verified	demo	un-verified		EDOS shall provide the capability to ship archived PDSs on removable physical media to the EDC DAAC upon request.		
EDOS-4.1.8.1#B	interface	SDPS	mission critical	demo	un-verified	demo	un-verified		EDOS shall interface with the SMC to transfer Operations Management Data, and Operations Management Test Data.		
EDOS-4.1.8.9#B	interface	SDPS	mission critical	demo	un-verified	demo	un-verified		EDOS shall conform to Internet protocol standards as specified in Applicable Documents 2, 3, 4, and 5 for communications services to provide guaranteed data delivery for the following data types: a. Reserved b. Reserved c. Reserved d. Reserved e. EAPs f. EOTs g. EOT Change Notifications h. Reserved I. EDOS Summary Performance Reports	Applicable documents referenced are identified in section 2.0 of EDOS IRD, 560-EDOS-0211.0001 Items e, f & g applicable with EDOS SU#1 which are not supported in Release B.	

EDOS-4.1.8.12#B	procedural	SDPS	mission critical	demo	un-verified	demo	un-verified		EDOS shall provide the capability to transfer EDOS Summary Performance Reports as specified in Applicable Document 1 to the SMC.	Applicable document referenced is identified in section 2.0 of EDOS IRD, 560-EDOS-0211.0001	
EDOS-4.2.1.3#B	performance/interface	FOS | CSMS	mission essential	analysis	un-verified	analysis	un-verified		The EDOS-EOC interface shall provide the capability to support the transfer of Operations Management data at a rate of up to 49 kbps.		
EDOS-4.2.1.4#B	performance/interface	FOS | CSMS	mission critical	demo	un-verified	demo	un-verified		The EDOS-EOC interface shall provide the capability to support the transfer of real-time return link data at a rate of up to 32 kbps.		
EDOS-4.2.1.5#B	performance/interface	FOS	mission critical	demo	un-verified	demo	un-verified		The EDOS-EOC interface shall provide the capability to support the transfer of real-time forward link data at a rate of up to 10 kbps.		
EDOS-4.2.1.6#B	performance/interface	FOS | CSMS	mission critical	analysis	un-verified	analysis	un-verified		The EDOS-EOC interface shall provide the capability to support the transfer of rate buffered return link data at a rate of up to 1.5 Mbps.		
EDOS-4.2.1.7#B	performance/interface	FOS	mission critical	demo	un-verified	demo	un-verified		The EDOS-EOC interface shall provide the capability to support the transfer of CODA messages to the EOC every 5 seconds.		

EDOS-4.2.2.1#B	performance/interface	SDPS	mission critical	demo	un-verified	demo	un-verified		The EDOS-LaRC DAAC interface shall provide the capability to support the transfer of Operations Management data to the LaRC DAAC at a rate of up to 49 kbps.		
EDOS-4.2.2.5#B	performance/interface	SDPS	mission critical	demo	un-verified	demo	un-verified		The EDOS-LaRC interface shall provide the capability to support the transfer of expedited and production data sets at a rate of up to 28 Mbps.		
EDOS-4.2.3.1#B	performance/interface	SDPS	mission critical	demo	un-verified	demo	un-verified		The EDOS-GSFC DAAC interface shall provide the capability to support the transfer of Operations Management data to the GSFC DAAC at a rate of up to 49 kbps.		
EDOS-4.2.3.5#B	performance/interface	SDPS	mission critical	demo	un-verified	demo	un-verified		The EDOS-GSFC interface shall provide the capability to support the transfer of expedited and production data sets at a rate of up to 68 Mbps.		
EDOS-4.2.8.1#B	performance/interface	SDPS	mission critical	demo	un-verified	demo	un-verified		The EDOS-SMC interface shall provide the capabiltiy to support the transfer of Operations managment data to the SMC at a rate of up to 49 kbps.		
EDOS-4.3.1.4#B	performance/interface	FOS | CSMS	mission essential	analysis	un-verified	analysis	un-verified		The EOC shall provide the capability to transfer Operations Management data to EDOS at a rate up to 49 kbps.		

EDOS-4.3.2.1#B	performance	SDPS	mission critical	demo	un-verified	demo	un-verified		The LaRC DAAC shall provide the capability to initiate transfer of the PDS/EDS Acceptance Notification to EDOS within a time period of 15 minutes plus an additonal 15 minutes for each gigabyte of EDS data, after successful receipt of the PDS/EDS Delivery Record from EDOS.		
EDOS-4.3.2.2#B	performance	SDPS	mission critical	demo	un-verified	demo	un-verified		The LaRC DAAC shall provide the capability to initiate transfer of the PDS/EDS Acceptance Notification to EDOS within a time period of 15 minutes plus an additonal 15 minutes for each gigabyte of PDS data, after successful receipt of the PDS/EDS Delivery Record from EDOS.		
EDOS-4.3.3.1#B	performance	SDPS	mission critical	demo	un-verified	demo	un-verified		The GSFC DAAC shall provide the capability to initiate transfer of the PDS/EDS Acceptance Notification to EDOS within a time period of 15 minutes plus an additonal 15 minutes for each gigabyte of EDS data, after successful receipt of the PDS/EDS Delivery Record from EDOS.		

EDOS-4.3.3.2#B	performance	SDPS	mission critical	demo	un-verified	demo	un-verified		The GSFC DAAC shall provide the capability to initiate transfer of the PDS/EDS Acceptance Notification to EDOS within a time period of 15 minutes plus an additonal 15 minutes for each gigabyte of PDS data, after successful receipt of the PDS/EDS Delivery Record from EDOS.		
EDOS-4.6.1.1#B	interface	FOS | CSMS | SDPS	mission essential	demo	un-verified	demo	un-verified		EDOS shall conform to Internet protocol standards for communications services as specified in Applicable Documents 2, 3, 4, and 5.	Applicable documents referenced are identified in section 2.0 of EDOS IRD, 560-EDOS-0211.0001	
EDOS-4.6.1.2#B	procedural	FOS	mission critical	demo	un-verified	demo	un-verified		EDOS shall transfer real-time return link data using UDP/IP.		
EDOS-4.6.1.3#B	procedural	FOS	mission critical	demo	un-verified	demo	un-verified		EDOS shall receive real-time forward link data using UDP/IP.		
EDOS-4.6.1.4#B	procedural	FOS	mission essential	demo	un-verified	demo	un-verified		EDOS shall transfer command echo blocks using UDP/IP.		
EDOS-4.6.1.5#B	procedural	FOS	mission critical	demo	un-verified	demo	un-verified		EDOS shall transfer CODA reports using UDP/IP.		
EDOS-4.6.1.6#B	procedural	FOS	mission essential	demo	un-verified	demo	un-verified		EDOS shall transfer non-CODA Operations Management data using FTP.		
EDOS-4.6.1.7#B	procedural	FOS	mission essential	demo	un-verified	demo	un-verified		EDOS shall receive Operations Management data using FTP.		
EDOS-4.6.1.8#B	procedural	FOS	mission critical	demo	un-verified	demo	un-verified		EDOS shall transfer rate-buffered return link data using FTP.		
EDOS-	procedural	SDPS	mission	demo	un-	demo	un-		EDOS shall transfer PDSs		

4.6.1.9#B	l		critical		verified		verified		using FTP.		
EDOS-4.6.1.10#B	procedural	SDPS	mission critical	demo	un-verified	demo	un-verified		EDOS shall transfer EDSs using FTP.		
EDOS-4.6.1.11#B	procedural	SDPS	mission critical	demo	un-verified	demo	un-verified		EDOS shall transfer PDS Physical Media Unit Delivery Records using FTP.		

Table 5: Add RBR Release A to L4 Links

RBR_id	L4_id
EDOS-4.1.1.2#A	**F-CMD-01120**
EDOS-4.1.1.2#A	**F-FOS-00347**
EDOS-4.1.1.3#A	**F-TLM-00210**
EDOS-4.1.1.3#A	**F-TLM-00215**
EDOS-4.1.1.3#A	**F-TLM-00220**
EDOS-4.1.2.1#A	**S-INS-00590**
EDOS-4.1.2.3#A	**S-INS-00100**
EDOS-4.1.2.3#A	**S-INS-00110**
EDOS-4.1.2.7#A	**C-CSS-01220**
EDOS-4.1.3.1#A	**S-INS-00580**
EDOS-4.1.3.3#A	**S-INS-00100**
EDOS-4.1.3.3#A	**S-INS-00110**
EDOS-4.1.3.7#A	**C-CSS-01220**
EDOS-4.2.1.5#A	**F-CMD-01120**
EDOS-4.2.1.5#A	**F-CMD-11210**
EDOS-4.6.1.1#A	**F-CMD-01120**
EDOS-4.6.1.1#A	**F-TLM-00210**
EDOS-4.6.1.2#A	**F-TLM-00210**
EDOS-4.6.1.3#A	**F-CMD-01120**

Table 6: Add RBR Release A to ATA Links

RBR_id	Test Case
EDOS-4.1.1.2#A	**INT-2020A**
EDOS-4.1.1.2#A	**CMD-2015A**
EDOS-4.1.1.3#A	**RCM-2000A**
EDOS-4.1.2.1#A	**A090130.010$L**
EDOS-4.1.2.3#A	**A090130.010$L**
EDOS-4.1.2.7#A	**A090130.010$L**
EDOS-4.1.2.7#A	**A090130.020$G**
EDOS-4.1.2.7#A	**A090130.030$E**
EDOS-4.1.3.1#A	**A090130.020$G**
EDOS-4.1.3.3#A	**A090130.020$G**
EDOS-4.1.3.7#A	**A090130.010$L**
EDOS-4.1.3.7#A	**A090130.020$G**
EDOS-4.1.3.7#A	**A090130.030$E**
EDOS-4.2.1.5#A	**INT-2020A**
EDOS-4.2.1.5#A	**CMD-2015A**
EDOS-4.6.1.1#A	**INT-2020A**
EDOS-4.6.1.1#A	**CMD-2015A**
EDOS-4.6.1.1#A	**RCM-2000A**
EDOS-4.6.1.2#A	**RCM-2000A**
EDOS-4.6.1.3#A	**INT-2020A**
EDOS-4.6.1.3#A	**CMD-2015A**

Table 7: Add IRD to RBR Release A Links

IRD_id	RBR_id
EDOS-4.1.1.2	EDOS-4.1.1.2#A
EDOS-4.1.1.3	EDOS-4.1.1.3#A
EDOS-4.1.2.1	EDOS-4.1.2.1#A
EDOS-4.1.2.3	EDOS-4.1.2.3#A
EDOS-4.1.2.7	EDOS-4.1.2.7#A
EDOS-4.1.3.1	EDOS-4.1.3.1#A
EDOS-4.1.3.3	EDOS-4.1.3.3#A
EDOS-4.1.3.7	EDOS-4.1.3.7#A
EDOS-4.2.1.5	EDOS-4.2.1.5#A
EDOS-4.6.1.1	EDOS-4.6.1.1#A
EDOS-4.6.1.2	EDOS-4.6.1.2#A
EDOS-4.6.1.3	EDOS-4.6.1.3#A

Table 8: Add IRD to RBR Release B Links

IRD_id	RBR_id
EDOS-4.1.1.1	EDOS-4.1.1.1#B
EDOS-4.1.1.2	EDOS-4.1.1.2#B
EDOS-4.1.1.3	EDOS-4.1.1.3#B
EDOS-4.1.1.4	EDOS-4.1.1.4#B
EDOS-4.1.1.6	EDOS-4.1.1.6#B
EDOS-4.1.1.7	EDOS-4.1.1.7#B
EDOS-4.1.1.8	EDOS-4.1.1.8#B
EDOS-4.1.1.15	EDOS-4.1.1.15#B
EDOS-4.1.1.16	EDOS-4.1.1.16#B
EDOS-4.1.1.17	EDOS-4.1.1.17#B
EDOS-4.1.1.18	EDOS-4.1.1.18#B
EDOS-4.1.2.1	EDOS-4.1.2.1#B
EDOS-4.1.2.2	EDOS-4.1.2.2#B
EDOS-4.1.2.3	EDOS-4.1.2.3#B
EDOS-4.1.2.7	EDOS-4.1.2.7#B
EDOS-4.1.2.8	EDOS-4.1.2.8#B
EDOS-4.1.2.10	EDOS-4.1.2.10#B
EDOS-4.1.2.11	EDOS-4.1.2.11#B
EDOS-4.1.2.12	EDOS-4.1.2.12#B
EDOS-4.1.2.13	EDOS-4.1.2.13#B
EDOS-4.1.2.14	EDOS-4.1.2.14#B
EDOS-4.1.3.1	EDOS-4.1.3.1#B
EDOS-4.1.3.2	EDOS-4.1.3.2#B
EDOS-4.1.3.3	EDOS-4.1.3.3#B
EDOS-4.1.3.7	EDOS-4.1.3.7#B
EDOS-4.1.3.8	EDOS-4.1.3.8#B
EDOS-4.1.3.10	EDOS-4.1.3.10#B
EDOS-4.1.3.11	EDOS-4.1.3.11#B
EDOS-4.1.3.12	EDOS-4.1.3.12#B

EDOS-4.1.3.13	EDOS-4.1.3.13#B
EDOS-4.1.3.14	EDOS-4.1.3.14#B
EDOS-4.1.7.11	EDOS-4.1.7.11#B
EDOS-4.1.7.12	EDOS-4.1.7.12#B
EDOS-4.1.7.13	EDOS-4.1.7.13#B
EDOS-4.1.8.1	EDOS-4.1.8.1#B
EDOS-4.1.8.9	EDOS-4.1.8.9#B
EDOS-4.1.8.12	EDOS-4.1.8.12#B
EDOS-4.2.1.3	EDOS-4.2.1.3#B
EDOS-4.2.1.4	EDOS-4.2.1.4#B
EDOS-4.2.1.5	EDOS-4.2.1.5#B
EDOS-4.2.1.6	EDOS-4.2.1.6#B
EDOS-4.2.1.7	EDOS-4.2.1.7#B
EDOS-4.2.2.1	EDOS-4.2.2.1#B
EDOS-4.2.2.5	EDOS-4.2.2.5#B
EDOS-4.2.3.1	EDOS-4.2.3.1#B
EDOS-4.2.3.5	EDOS-4.2.3.5#B
EDOS-4.2.8.1	EDOS-4.2.8.1#B
EDOS-4.3.1.4	EDOS-4.3.1.4#B
EDOS-4.3.2.1	EDOS-4.3.2.1#B
EDOS-4.3.2.2	EDOS-4.3.2.2#B
EDOS-4.3.3.1	EDOS-4.3.3.1#B
EDOS-4.3.3.2	EDOS-4.3.3.2#B
EDOS-4.6.1.1	EDOS-4.6.1.1#B
EDOS-4.6.1.2	EDOS-4.6.1.2#B
EDOS-4.6.1.3	EDOS-4.6.1.3#B
EDOS-4.6.1.4	EDOS-4.6.1.4#B
EDOS-4.6.1.5	EDOS-4.6.1.5#B
EDOS-4.6.1.6	EDOS-4.6.1.6#B
EDOS-4.6.1.7	EDOS-4.6.1.7#B
EDOS-4.6.1.8	EDOS-4.6.1.8#B
EDOS-4.6.1.9	EDOS-4.6.1.9#B
EDOS-4.6.1.10	EDOS-4.6.1.10#B
EDOS-4.6.1.11	EDOS-4.6.1.11#B

Table 9: Add RBR Release B to L4 Links

RBR_id	L4_id
EDOS-4.1.1.1#B	**F-FOS-00345**
EDOS-4.1.1.1#B	**F-TLM-02210**
EDOS-4.1.1.1#B	**F-TLM-02215**
EDOS-4.1.1.2#B	**F-CMD-01120**
EDOS-4.1.1.2#B	**F-CMD-01125**
EDOS-4.1.1.2#B	**F-CMD-01130**
EDOS-4.1.1.2#B	**F-CMD-01135**
EDOS-4.1.1.2#B	**F-FOS-00347**
EDOS-4.1.1.3#B	**F-TLM-00210**
EDOS-4.1.1.3#B	**F-TLM-00215**
EDOS-4.1.1.3#B	**F-TLM-00220**
EDOS-4.1.1.4#B	**F-CMD-02125**
EDOS-4.1.1.6#B	**F-TLM-02215**
EDOS-4.1.1.7#B	**F-TLM-02210**
EDOS-4.1.1.8#B	**F-TLM-02220**
EDOS-4.1.1.8#B	**F-FOS-00350**
EDOS-4.1.1.18#B	**F-TLM-02220**
EDOS-4.1.1.18#B	**F-FOS-00350**
EDOS-4.1.2.1#B	**S-DPS-30910**
EDOS-4.1.2.1#B	**S-DSS-20750**
EDOS-4.1.2.2#B	**S-DSS-20750**
EDOS-4.1.2.7#B	**S-DPS-30910**
EDOS-4.1.2.10#B	**S-DPS-30910**
EDOS-4.1.2.12#B	**S-DSS-01060**
EDOS-4.1.2.12#B	**S-DSS-01060**
EDOS-4.1.2.13#B	**S-DSS-20750**
EDOS-4.1.3.1#B	**S-DPS-30910**
EDOS-4.1.3.1#B	**S-DSS-20750**
EDOS-4.1.3.2#B	**S-DSS-20750**
EDOS-4.1.3.7#B	**S-DPS-30910**
EDOS-4.1.3.8#B	**S-INS-00085**
EDOS-4.1.3.10#B	**S-DPS-30910**
EDOS-4.1.3.11#B	**S-DPS-30910**
EDOS-4.1.3.12#B	**S-DSS-20210**

EDOS-4.1.3.12#B	**S-DSS-20750**
EDOS-4.1.7.11#B	**S-DSS-20750**
EDOS-4.1.7.13#B	**S-INS-00130**
EDOS-4.1.8.1#B	**C-ISS-02350**
EDOS-4.1.8.9#B	**S-DPS-30910**
EDOS-4.2.1.3#B	**F-TLM-02210**
EDOS-4.2.1.4#B	**F-TLM-01515**
EDOS-4.2.1.5#B	**F-CMD-01120**
EDOS-4.2.1.5#B	**F-CMD-01125**
EDOS-4.2.1.5#B	**F-CMD-01130**
EDOS-4.2.1.5#B	**F-CMD-01135**
EDOS-4.2.1.5#B	**F-CMD-11210**
EDOS-4.2.1.6#B	**F-TLM-02220**
EDOS-4.2.1.6#B	**F-TLM-01520**
EDOS-4.2.1.7#B	**F-TLM-02215**
EDOS-4.2.2.1#B	**C-ISS-02330**
EDOS-4.2.2.5#B	**C-ISS-02350**
EDOS-4.2.3.1#B	**C-ISS-02350**
EDOS-4.2.3.5#B	**C-ISS-02350**
EDOS-4.2.8.1#B	**C-ISS-02350**
EDOS-4.3.2.1#B	**S-DSS-00060**
EDOS-4.3.3.1#B	**S-INS-00170**
EDOS-4.3.3.1#B	**S-INS-00085**
EDOS-4.3.3.2#B	**S-INS-00170**
EDOS-4.3.3.2#B	**S-INS-00085**
EDOS-4.6.1.1#B	**F-CMD-01120**
EDOS-4.6.1.1#B	**F-TLM-02215**
EDOS-4.6.1.1#B	**F-TLM-02210**
EDOS-4.6.1.1#B	**F-TLM-02220**